


DWV PIPE (SCJ)

Manufactured to AS/NZS 1260



PRODUCT CODE	NOMINAL SIZE (MM)	REVISED CLASS	LENGTH (M)	CRATE QTY	MINIMUM PACK QTY
--------------	-------------------	---------------	------------	-----------	------------------

DWV PIPE

PRODUCT CODE	NOMINAL SIZE (MM)	REVISED CLASS	LENGTH (M)	CRATE QTY	MINIMUM PACK QTY
20200	32 #	-	6	465	10
20230	40	-	6	451	50
20260	50	-	6	260	50
20280	65	-	6	160	20
20310	80	-	6	122	10
19000	100	SN 6	6	70	1
19070	150	SN 4	6	26	1
19140	225	SN 4	6	12	1
19210	300	SN 4	6	6	1

N/A VICTORIA, WESTERN AUSTRALIA, SOUTH AUSTRALIA

DWV PIPE

PRODUCT CODE	NOMINAL SIZE (MM)	REVISED CLASS	LENGTH (M)	CRATE QTY	MINIMUM PACK QTY
19180	225	SN 8	6	12	1
19200	225	SN 8	3	12	1
19250	300	SN 8	6	6	1
19258	300	SN 8	3	6	1

DWV FOAM CORE SCJ PIPE

PRODUCT CODE	NOMINAL SIZE (MM)	REVISED CLASS	LENGTH (M)	CRATE QTY	MINIMUM PACK QTY
18000	100	SN6	6	70	1
18120	150	SN8	3	28	1
18110	150	SN8	6	28	1

PLEASE NOTE

THE STANDARD FOR AS/NZS 1260:2002 - PVC PIPES AND FITTINGS FOR DWV APPLICATIONS INCLUDES 'STIFFNESS' AS THE NEW PIPE CLASSIFICATION FOR PIPES 100 AND ABOVE.

SN = STIFFNESS, A MEASURE OF ABILITY FOR THE PIPE TO WITHSTAND LATERAL DEFLECTION, 'SQUASHING'.

SN 4 = 4000 N|m|m

SN 6 = 6000 N|m|m


SN 8 = 8000 N|m|m

DWV FITTINGS (SCJ)


Manufactured to AS/NZS 1260

PRODUCT CODE	NOMINAL SIZE (MM)	DEGREE		CARTON QTY	MINIMUM PACK QTY
--------------	-------------------	--------	--	------------	------------------

DWV BENDS F & F




54020	40	15	F & F	60	5
54030	40	45	F & F	80	20
54040	40	85	F & F	140	20
54050	50	15	F & F	120	10
54060	50	45	F & F	55	10
54070	50	85	F & F	45	45
54080	65	15	F & F	75	5
54090	65	45	F & F	50	10
54100	65	88	F & F	50	10
54120	80	45	F & F	25	5
54140	80	88	F & F	40	10
46000	100	5	F & F	40	40
46010	100	15	F & F	40	40
46020	100	30	F & F	34	34
46040	100	45	F & F	28	28
46070	100	60	F & F	20	5
46080	100	88	F & F	20	20
47000	150	15	F & F	12	1
47010	150	45	F & F	8	8
47030	150	88	F & F	6	6
47410	225	45	F & F	5	1
47420	225	90	F & F	3	1



DWV I.O. BENDS F & F

54290	40	88	F & F	120	20
54310	50	45	F & F	85	5
54320	50	88	F & F	70	10
54340	65	45	F & F	50	5
54350	65	88	F & F	60	10
54410	100	88	F & F	15	5



DWV SIDE ACCESS BENDS F & F

46050	100	45	F & F	12	1
46090	100	88	F & F	10	5

PLEASE CHECK STOCK AVAILABILITY WHEN ORDERING - RANGE SUBJECT TO CHANGE.

NOTE: MINIMUM PACK QTYS APPLY TO ALL PRODUCTS, ORDERS WILL AUTOMATICALLY BE ADJUSTED TO MINIMUM PACK QTYS OR MULTIPLES

DWV FITTINGS (SCJ)


Manufactured to AS/NZS 1260

PRODUCT CODE	NOMINAL SIZE (MM)	DEGREE	CARTON QTY	MINIMUM PACK QTY
--------------	-------------------	--------	------------	------------------

DWV ROTO BEND


93008	50		F & F	25	1
93009	100		F & F	10	1

DWV PLAIN BENDS M & F



54495	40	43	M & F	60	10
54505	50	43	M & F	100	10
54515	50 x 40	45	M & F	40	10
54520	50	88	M & F	40	10
54530	65	43	M & F	70	10
54542	80	88	M & F	12	6
46120	100	5	M & F	27	1
46130	100	15	M & F	25	1
46140	100	30	M & F	20	5
46150	100	43	M & F	28	28
46160	100	60	M & F	20	5
46170	100	88	M & F	15	5
47050	150	15	M & F	12	1
47060	150	43	M & F	5	1
47090	150	88	M & F	6	1

DWV PLAIN JUNCTIONS F & F



54640	40	88	F & F	50	10
54650	50	45	F & F	40	10
54660	50	85	F & F	40	10
54670	65	45	F & F	25	5
54680	65	88	F & F	10	5
54690	80	45	F & F	24	1
46200	100	45	F & F	13	13
# 46205	100	45	F & F	12	1
46300	100	88	F & F	13	13
47120	150	45	F & F	4	4
47205	150	88	F & F	4	4
47450	225	45	F & F	2	1
47740	225	88	F & F		1
54760	100 x 50	45	F & F	15	5
46220	100 x 65	45	F & F	15	5
47110	150 x 100	45	F & F	5	5
47190	150 x 100	88	F & F	5	1

THREADED BRANCH


PLEASE CHECK STOCK AVAILABILITY WHEN ORDERING - RANGE SUBJECT TO CHANGE.

NOTE: MINIMUM PACK QTYS APPLY TO ALL PRODUCTS, ORDERS WILL AUTOMATICALLY BE ADJUSTED TO MINIMUM PACK QTYS OR MULTIPLES

DWV FITTINGS (SCJ)

Manufactured to AS/NZS 1260

PRODUCT CODE	NOMINAL SIZE (MM)	DEGREE	CARTON QTY	MINIMUM PACK QTY
--------------	-------------------	--------	------------	------------------




DWV PLAIN JUNCTIONS F & F (Continued)

47440	225 x 100	45	F & F	4	1
47445	225 x 150	45	F & F	3	1
48060	300 x 100	45	F & F		1
48070	300 x 150	45	F & F		1


DWV PLAIN JUNCTIONS M & F

46250	100	45	M & F	13	13
46320	100	88	M & F	13	13
47150	150 x 100	45	M & F	5	1



DWV I.O. JUNCTIONS F & F


54860	50	85	F & F	40	10
54910	100	45	F & F	6	1
54920	100	88	F & F	10	5



DWV ACCESS JUNCTIONS F & F

46230	100	45	F & F	SIDE - RH	8	8
46240	100	45	F & F	SIDE - LH	8	8
46310	100	88	F & F	REAR	10	10

DWV RISER JUNCTIONS M & F



55710	80x50x40x40x40	88	M & F	15	5
55720	80x50x50x40	88	M & F	15	5
46560	100x50	88	M & F	15	5
46570	100x50x50x50x40	88	M & F	1	10
46575	100x50x50x40x40	88	M & F	1	10

DWV STRAIGHT COUPLINGS F & F



55260	40		F & F	60	10
55270	50		F & F	120	10
55280	65		F & F	35	5
55290	80		F & F	40	4
47940	225		F & F	3	1
48390	300		F & F		1

PLEASE CHECK STOCK AVAILABILITY WHEN ORDERING - RANGE SUBJECT TO CHANGE.


NOTE: MINIMUM PACK QTYS APPLY TO ALL PRODUCTS, ORDERS WILL AUTOMATICALLY BE ADJUSTED TO MINIMUM PACK QTYS OR MULTIPLES

DWV FITTINGS (SCJ)

Manufactured to AS/NZS 1260


PRODUCT CODE	NOMINAL SIZE (MM)	DESCRIPTION	CARTON QTY	MINIMUM PACK QTY
--------------	-------------------	-------------	------------	------------------

DWV ACCESS COUPLINGS



46380	100	F & F	W/OUT CAP	40	40
47240	150	F & F	W/OUT CAP	12	12
47260	150	RRJ/SPGT	WITH CAP	6	6

DWV EXPANSION COUPLING ASSEMBLY F & F




55750	50	F & F		35	5
55760	65	F & F		40	5
55780	100	F & F		15	3
55782	100	F & F		24	3

DWV SLIP COUPLING



50220	100	F & F		25	5
50520	150	F & F		15	1
51430	225	F & F		3	1
52150	300	F & F			1

DWV REPAIR COUPLINGS



58240	100	F & F	SLAB	48	4
58250	100	F & F		30	1
58260	150	F & F		12	1

DWV THREADED ACCESS CAPS



46430	100			40	40
47270	150			40	40

DWV PUSH ON CAPS




56000	40			160	20
56010	50			100	20
56020	65			70	5
56030	80			50	10
46650	100			26	26
47380	150			40	1
47990	225			21	1
48450	300			3	1

DWV FITTINGS (SCJ)

Manufactured to AS/NZS 1260

PRODUCT CODE	NOMINAL SIZE (MM)	DESCRIPTION	CARTON QTY	MINIMUM PACK QTY
--------------	-------------------	-------------	------------	------------------

DWV PLAIN FLOOR WASTE GULLIES F & F




55460	80 x 50	F & F	20	5
55470	80 x 65	F & F	20	5
55485	100 x 50	F & F	20	10
55486	100 x 65	F & F	20	10



DWV DISCONNECTOR TRAP

46520	100	F & F	ADJUSTABLE	10	10
-------	-----	-------	------------	----	----

DWV LEVEL INVERT TAPERS M & F




55530	50 x 40	M & F	140	20
55540	65 x 40	M & F	50	10
55550	65 x 50	M & F	80	20
55570	80 x 50	M & F	54	6
55590	100 x 50	M & F	75	1
55600	100 x 65	M & F	65	5
55610	100 x 80	M & F	40	4
47340	150 x 100	M & F	10	10
47910	225 x 150	M & F		1

DWV PIPE REDUCERS M & F



56120	100 x 40	M & F	50	10
56130	100 x 50	M & F	50	10

DWV SOCKET REDUCERS M & F



56170	50 x 40	M & F	80	10
56180	65 x 40	M & F	100	10
56190	65 x 50	M & F	35	5
56200	80 x 50	M & F	40	5
56230	100 x 50	M & F	50	10
56250	100 x 80	M & F	60	5

DWV FITTINGS (SCJ)

Manufactured to AS/NZS 1260

PRODUCT CODE	NOMINAL SIZE (MM)	DESCRIPTION	CARTON QTY	MINIMUM PACK QTY
--------------	-------------------	-------------	------------	------------------

DWV BOLTED TRAP SCREWS



56080	100		25	5
56110	150		10	5


DWV GRATES



56270	100	GRATE	100	10
56280	100	GRATE AND FINISHING COLLAR	30	10
56290	100	FINISHING COLLAR	30	10



DWV PLAIN VENT COWLS



56340	50		100	10
56350	65		80	5
56370	100		18	6

DWV VENT COWLS - INSECT PROOF




56440	100	WIRE	15	5
-------	-----	------	----	---

DWV WEATHERING APRONS




56490	65		60	5
56510	100		25	5

DWV IRON CONNECTORS - MALE



56550	40		60	10
56560	50		150	10

DWV IRON ADAPTORS - MALE



56610	40		120	10
56620	50		80	10

DWV IRON CONNECTOR - FEMALE



56650	40		60	5
56660	50		120	10

DWV IRON ADAPTORS - FEMALE




56690	40		140	10
56700	50		80	10

DWV FITTINGS (SCJ)

Manufactured to AS/NZS 1260

PRODUCT CODE	NOMINAL SIZE (MM)	DESCRIPTION	CARTON QTY	MINIMUM PACK QTY
--------------	-------------------	-------------	------------	------------------

DWV PAN COLLARS




56900	100	M & F	25	25
56905	100	M & F	ADJUSTABLE	25
56915	100	F & F	ADJUSTABLE	45
56925	100 x 80	F & F	ADJUSTABLE	25

DWV OFFSET PAN CONNECTOR


56869	100 x 40		30	1
-------	----------	--	----	---

DWV CAPS AND LININGS



56950	40	SHORT	M & F	250	10
56970	50	SHORT	M & F	90	1
57000	50 x 40	SHORT	F & F	90	1

DWV TEST OPENING / INSPECTION TEE / ACCESS FITTING




46440	100		F & F	ACCESS FITTING	16	16
46470	100		M & F	ACCESS FITTING	18	18
57150	100		F & F	WITH EXP. COUPLING	7	7
47280	150		F & F		4	4
47300	150		M & F		4	4

DWV FLOOR FLANGES



57160	40				240	10
57170	50				280	10
57190	80				100	1
57200	100				90	10

DWV COPPER TO PVC JOINERS - RRJ



57300	40				140	5
57310	50				50	5
57320	65				60	5
57340	100				24	3

DWV PVC FLAP VALVES



57350	50				35	5
57364	100	SHORT			21	1

DWV FITTINGS (SCJ)

Manufactured to AS/NZS 1260

PRODUCT	NOMINAL	DEGREE	CARTON	MINIMUM
CODE	SIZE (MM)		QTY	PACK QTY

DWV DUST CAPS


58220	100		PP DUST CAP	140	1
-------	-----	--	-------------	-----	---

SEWER SANDED MANHOLE COUPLINGS - RRJ



50830	100		M & F	20	1
50945	150		M & F	9	1
51530	225		M & F	2	1
52250	300		M & F		1

COMBINED MANHOLE COUPLINGS - SCJ to RRJ



50852	100		F & F	20	1
50947	150		F & F	9	1
51535	225		F & F		1

PVC - VC SPIGOT ADAPTORS



46630	100		F & F	20	10
47350	150		F & F	10	1
47460	225		F & F	5	1

PVC - VC BUSHES



46640	100		M & F	20	10
47370	150		M & F	4	1