

SAFETY DATA SHEET**POLYPROPYLENE PIPE**

Date of Issue: 3/06/2011

Section 1: Identification of Product and Supplier**Product Name**

Trade Names: StormPRO, SewerPRO, IrrPRO

Product Use

Sewerage, drainage and irrigation pipes

Supplier

Vinidex Pty Limited ABN 42 000 664 942
19-21 Loyalty Road,
North Rocks, NSW 2151
Australia
Telephone Number (02) 8839 9006
Facsimile Number (02) 8839 9152

Further Information Available From:

National Process Manager, Materials 0407 484 705

Emergency (24 Hours)

National Process Manager, Materials 0407 484 705

Section 2: Hazards Identification**Statement of Hazardous Nature**

NON-HAZARDOUS PRODUCT NON-DANGEROUS GOODS
According to NOHSC criteria and ADG Code

Poisons Schedule

Not listed.

Hazard Statements

None required.

Precautionary Statements

None required.

Other Hazards

Refer to Section 7 Handling and Storage for general precautions for use.

SAFETY DATA SHEET

POLYPROPYLENE PIPE

Date of Issue: 3/06/2011

Section 3: Composition/Information on Ingredients**Composition and Form**

Manufactured rigid solid tubes of various dimensions for plumbing and water distribution as described in Section 1.

Chemical Composition

CAS Number	Chemical Name/s	Proportion
9010-79-1	Polypropylene copolymer ethylene	94.5 – 97%
	Black – pigment-polymer blend	5.5%
	Dark Grey – pigment-polymer blend	3%
	Light Grey – pigment-polymer blend	3%

Section 4: First-Aid Measures**Swallowed**

There are no known health effects for the ingestion of polypropylene. Ingestion is unlikely to occur due to the physical size and dimensions of the products. However, small particles may be generated by sawing or mechanically breaking the products or similar means.

Eye

Inapplicable to the solid product except for mechanical injury. Dust/small particles from sawing or other mechanical process may affect eyes if not protected. Hydrochloric acid and other fumes emitted during combustion can cause irritation to the eyes. Flush with copious quantities of water and treat symptomatically.

Skin

Inapplicable to the solid product except for mechanical injury. Dust/small particles from sawing or other mechanical process may affect eyes if not protected. There have not been reports of Irritation arising from such dust and small particles. Molten material will adhere to the skin and cause burns. Flush with copious quantities of water and see a doctor for prompt removal of the adhering material and treatment of the burn. Do not remove material or clothing from the skin as removal may exacerbate the injury.

Inhaled

Inapplicable to the solid product due to the physical size and dimensions of the products. For inhalation of fumes and gaseous by-products (carbon monoxide, carbon dioxide, etc), remove the patient immediately from exposure and seek medical advice.

Notes to Physician

Treat symptomatically.

Section 5: Fire-fighting Measures**Extinguishing Media**

Water, water-fog or foam to extinguish fire. Carbon dioxide or dry chemical are suitable but are considered not as efficient due to lack of cooling capacity.

Fire Fighting

Wear fully protective body suit with self-contained breathing apparatus (S.C.B.A.) to prevent contact with fumes and gases produced during combustion.

Fire/Explosion Hazard

SAFETY DATA SHEET

POLYPROPYLENE PIPE

Date of Issue: 3/06/2011

Combustible and will support combustion. Products of combustion are carbon dioxide (asphyxiant), carbon monoxide (toxic) and low levels of aldehydes and acetic acid. All are potentially lethal in sustained exposure.

Fire Incompatibility

Oxidising agents.

HAZCHEM Code

Does not meet the criteria for classification.

Personal Protection

Wear fully protective body suit with self-contained breathing apparatus (S.C.B.A.) to prevent contact with fumes and gases produced during combustion and appropriate gloves and footwear.

Section 6: Accidental Release Measures

Minor Spills

Collect products and bundle or secure safely. If necessary, isolate area to prevent damage to /destruction of products by vehicles etc. Broken parts may be sharp and eye protection and gloves are recommended.

Major Spills

Isolate area as necessary to prevent further damage. Collect products and bundle or secure safely. Broken product and parts may have sharp edges and eye protection and gloves are recommended.

Section 7: Handling and Storage

Procedure for Handling

Check security of bundles of pipes before releasing strapping and retaining frames. Injury can be sustained by rolling of pipes. Unpack crates and bundles on a flat surface and ensure that free stacks are adequately chocked. Do not climb on stacks.

Normal safe practices should be employed when working with the material; a well ventilated area and the use of eye and protection, dust masks and gloves are recommended when sawing, grinding (with abrasive wheel) and handling. When heating for bending or other forming, use hot water or air with appropriate safeguards. Use of an open flame is inadvisable.

Storage

Store in appropriate areas (outside or in warehouse) in accordance with site safety requirements. Do not store with oxidising agents.

Section 8: Exposure Controls / Personal Protection

Exposure Controls

No exposure controls are necessary as products are inert and all additives are encapsulated within the polymer matrix and present no hazard under conditions of normal use and good occupational work practice.

Personal Protection

Eye

Glasses

Glasses are recommended in case of accidental knock when handling pipe and especially when

SAFETY DATA SHEET

POLYPROPYLENE PIPE

Date of Issue: 3/06/2011

working pipes mechanically, sawing etc.

Hands/Feet

Safety footwear and gloves.

Other**Engineering Controls**

Appropriate controls for safe working when handling and mechanically working e.g. sawing.

Section 9: Physical and Chemical Properties**Appearance**

Twin-wall corrugated plastic pipes or tubes, 150 mm to 900 mm diameter in straight lengths up to 6 metres.

Colour: black or dark-grey outer wall, light grey inner wall.

Odour:	Nil
pH:	Nil effect, insoluble
Melting point	130 -170 ^o C.
Initial boiling point and range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability	Will burn in contact with flame
Upper/lower flammability	Not applicable
Vapour pressure	Not applicable
Vapour density	Not applicable
Relative density	0.9 – 1.0
Solubility	insoluble in water
Partition coefficient: octanol/water	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	300 ^o C
Viscosity	Not applicable

Section 10: Chemical Stability and Reactivity

Stable under normal conditions of storage and use.

Incompatible materials

Do not store with oxidising agents.

Hazardous decomposition products

Product will start to decompose if maintained at temperatures of 300^oC.

Decomposition products are carbon dioxide, carbon monoxides and low levels of aldehydes and acetic acid.

SAFETY DATA SHEET**POLYPROPYLENE PIPE**

Date of Issue: 3/06/2011

Section 11: Toxicological InformationLD₅₀ Value Not applicable

The products are inert and insoluble and consist of a fused polymer matrix which also encapsulates all additives.

Section 12: Ecological Information**Ecotoxicity**

No adverse effects on environment have been reported. The product can be physically removed from waterways by means appropriate to the size article. It is recommended that local environmental agencies are notified.

Section 13: Disposal Considerations

Recycle where possible.

Refer to state/territory environmental protection agency/ authority. Normally suitable for disposal as general waste land fill.

Section 14: Transport Information**Land Transport (Road/Rail)**

Not classified as a dangerous goods.

Marine Transport

Not classified as a dangerous goods.

Air Transport

Not classified as a dangerous goods.

Section 15: Regulatory Information

There is no safety, health or environmental regulations specific for these products.

Section 16: Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department Issuing MSDS: Technical Services, Sydney

Contact: Greg Aylett

First Issue