

Issue 2 Date of Issue: 16 February 2022 Page 1 of 10

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product Identifiers** Trade Names:

# StormPRO<sup>®</sup>, SewerPRO<sup>®</sup>, IrriPRO<sup>®</sup>, Draincoil<sup>®</sup>, StormFlex<sup>®</sup>, Vinidex AquaPRO<sup>®</sup>

Other names and variants: PP pipe

#### 1.2 Relevant identified uses

Sewerage, drainage and irrigation pipes. Uses advised against: Designed for described uses only.

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Vinidex Pty Limited ABN 42 000 664 942
Address	:	Level 4, 26 College Street,
		Darlinghurst, NSW 2010 Australia
Talaukana Numban		

Telephone Number	:	+61 2 8278 0501
E-mail address	:	<u>info@vinidex.com.au</u>

#### 1.4

Vinidex - 4-26 College St, Darlinghurst, NSW 2010 Ph: 02 8278 0500 (business hours) Emergency Contact – 131126 Poisons Information Centre. www.vinidex.com.au

#### 2. HAZARDS IDENTIFICATION

# **2.1 GHS Classification of substance or mixture NOT CLASSIFIED AS HAZARDOUS**

according to GHS rules and to 'Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice; WorkSafe Australia

#### 2.2 GHS Label Elements

Pictogram: NONESignal Word: NONEHazard Statement(s): NONEPrecautionary Statement(s):NONE

#### 2.3 Other hazards

Refer to Section 7 for general precautions for use.



Issue 2 Date of Issue: 16 February 2022 Page 2 of 10

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance/Product

Manufactured rigid solid tubes of various dimensions for water supply, irrigation, sewerage, drainage, gas, industrial process piping, telecommunications and electrical conduit as described in Section 1.

#### **Chemical Composition**

<b>CAS Number</b> 9010-79-1	Chemical Name/s Polypropylene copolymer ethylene	<b>Proportion</b> 94.5 – 97%
	Black – pigment-polymer blend	5.5%
	Dark Grey – pigment-polymer blend	3%
	Light Grey – pigment-polymer blend	3%

#### 4. FIRST-AID MEASURES

#### 4.1 Description of first aid measures

#### **General Advice**

Consult a physician for all exposures except for minor instances. Show this safety data sheet to the doctor in attendance.

#### If inhaled

There are no known health effects for the ingestion of polypropylene. Ingestion is unlikely to occur due to the physical size and dimensions of the products. However, small particles may be generated by sawing or mechanically breaking the products or similar means.

#### In case of skin contact

Inapplicable to the solid product except for mechanical injury. Dust/small particles from sawing or other mechanical process may mechanically affect skin if not protected. There have not been reports of skin irritation arising from such dust and small particles. Flush with copious quantities of water and treat symptomatically.

#### In case of eye contact

Inapplicable to the solid product except for mechanical injury. Dust/small particles from sawing or other mechanical process may affect eyes if not protected. Flush with copious quantities of water and treat symptomatically.

#### If swallowed

Inapplicable to the solid product due to the physical size and dimensions of the products. For inhalation of fumes and gaseous by-products in case of smouldering and fire (carbon monoxide etc.), remove the



Issue 2 Date of Issue: 16 February 2022 Page 3 of 10

patient immediately from exposure and seek medical advice. Rinse mouth with water provided patient is conscious. Do **not** induce vomiting. Call for medical attention.

# 4.2 Most important symptoms and effects, both acute and delayed

No known delayed effects. No data available

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

**Notes to doctor:** Treat symptomatically. Material does not wet out easily in water and is not soluble in water.

# 5. FIRE-FIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing agents

Water, water-fog or foam to extinguish fire. Carbon dioxide or dry chemical are suitable but are considered not as efficient due to lack of cooling capacity.

# 5.2 Special hazards arising from the product or its combustion products

Not an explosion risk. Combustible and will support combustion. Products of combustion are, carbon dioxide (asphyxiant), carbon monoxide (toxic) and low levels of aldehydes and acetic acid. All potentially lethal in sustained exposure.

# 5.3 Advice for firefighters

Wear fully protective body suit with self-contained breathing apparatus (S.C.B.A.) to prevent contact with fumes and gases produced during combustion.

# Additional information:

Avoid contact with strong oxidizing agents.

Hazchem Code: None allocated as material is not classified as dangerous goods.

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

In case of spills, collect products and bundle or secure safely. If necessary, isolate area to prevent damage to /destruction of products by vehicles etc. Broken parts may be sharp and eye protection and gloves are recommended.

For major spills isolate area as necessary to prevent further damage. Collect products and bundle or secure safely. Evacuate non-essential personnel to safe areas.

# 6.2 Measures for environmental protection

Prevent further spillage if safe to do so. Products are not environmentally hazardous but could affect waterways due to size and by causing mechanical blockage. Do not allow product parts to enter sewers,



Issue 2 Date of Issue: 16 February 2022 Page 4 of 10

surface water or ground water. Inform responsible authorities as required by local and state/national regulations.

#### 6.3 Methods and materials for containment and cleaning up

Isolate area. Pick up mechanically and placing in suitable containers for further use or disposal as waste according to Section 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Check security of bundles of pipes before releasing strapping and retaining frames. Injury can be sustained by rolling of pipes.

Unpack crates and bundles on a flat surface and ensure that free stacks are adequately chocked. Do not climb on stacks.

Normal safe practices should be employed when working with the material; a well ventilated area and the use of eye and protection, dust masks and gloves are recommended when sawing, grinding (with abrasive wheel) and handling. When heating for bending or other forming, use hot water or air with appropriate safeguards. Use of an open flame is inadvisable.

Eating, drinking and smoking in work areas is prohibited.

Wash hands after handling product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in appropriate areas (outside or in warehouse) in accordance with site safety requirements.

Do not store with strong oxidising agents.

#### Storage class:

Class according to regulation on flammable liquids: not applicable

#### 7.3 Specific end uses

Apart from the uses mentioned in 1.2 no other specific uses are stipulated.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### **National Exposure Limits**

Please note that there is a mandatory dust level limit of maximum 10mg/m<sup>3</sup> (TWA) legislated for work place environments.



Issue 2 Date of Issue: 16 February 2022 Page 5 of 10

# 8.2 Exposure Control

#### Appropriate engineering controls

No exposure controls are necessary as original products are inert and all additives are encapsulated within the polymer matrix and present no hazard under conditions of normal use and good occupational work practice. Handle in accordance with good industrial hygiene and safety practices. Avoid formation of dust when sawing or cutting. Avoid generation of airborne dust. Wash hands before breaks and at the end of the workday.

#### **Personal Protective Equipment**

#### General protective and hygienic measures:

Do not inhale dust in generated from the product. If necessary, wear appropriate respirator with P2 filter. Wear protective clothing such as overalls and safety shoes.

Wear safety glasses and gloves for protection from mechanical injuries.

#### Eye protection:

Glasses are recommended in case of accidental knock when handling pipe and especially when working pipes mechanically, sawing etc.

#### Skin protection:

Protective gloves of strong material to protect against mechanical injury.

Protective clothing such as overalls.

#### **Body protection:**

Wear protective clothing such as overalls as well suitable safety boots or other appropriate footwear.

#### **Respiratory protection:**

Respiratory protective device with P2 filter is recommended if dust is generated.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance:

Twin-walled corrugated plastic pipes or tubes, 150mm to 900mm diameter in straight lengths up to 6 metres.

Colour: black or dark grey outer wall, light grey inner wall.

a)	Odour:	none
b)	Odour threshold:	not determined
c)	Melting point/melting range:	softens at about 130 - 170 ⁰C
d)	Boiling point/boiling range:	not determined
e)	Flammability	will burn only in contact with a flame
f)	Auto ignition temperature:	product is not self-igniting.
g)	Decomposition temperature:	starts decomposing at about 300 °C
h)	Explosive properties:	not determined
i)	Upper/lower explosion limits:	not determined
j)	Density:	0.9 - 1.0
k)	Water solubility/miscibility:	not soluble/wettable



Issue 2 Date of Issue: 16 February 2022 Page 6 of 10

l) pH:

m) Solvent Content:

n) Solids Content:

not determined Organic solvents: 0.0% 100.0%

#### 9.2 Other safety information

No data available.

# **10. STABILITY AND REACTIVITY**

#### **10.1 Reactivity**

No data available. Stable under normal conditions of storage and use.

#### **10.2 Chemical Stability**

Stable under recommended storage conditions; will start to decompose. (smoulder, burn etc. depending on availability of oxygen/air) if heated to temperatures greater than 300 °C and maintained at elevated temperatures.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Product will start to decompose if maintained at temperatures of above 300 °C. Decomposition products are carbon dioxide, carbon monoxides and low levels of aldehydes and acetic acid.

#### **10.5 Incompatible materials**

No data available. As major components are organic material, contact with strong oxidizing agents should be avoided.

#### **10.6 Hazardous decomposition products**

Other decomposition products – no data available. In the event of fire: see Section 5.

# **11. TOXICOLOGICAL INFORMATION**

#### **11.1 Information on toxicological effects**

The products are inert and insoluble and consist of a fused polymer matrix which also encapsulates all additives.

#### Acute toxicity

No data available.

Skin corrosion/irritant

No data available.



Issue 2 Date of Issue: 16 February 2022 Page 7 of 10

Serious eye damage / eye irritation No data available. **Respiratory or skin sensitization** No data available Germ cell mutagenicity No data available. Carcinogenicity No data available. **Reproductive toxicity** No data available. Specific target organ toxicity (STOT)-single exposure No data available. **STOT-repeated exposure** No data available. Aspiration hazard No data available. Information on the likely routes of exposure No data available. Symptoms related to the physical, chemical and toxicological characteristics No data available. Delayed and immediate effects and also chronic effects from short and long term exposure No data available. Numerical measures of toxicity (such as acute toxicity estimates) No data available. Interactive effects No data available.

# **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available

**12.3 Bioaccumulative potential** No data available

12.4 Mobility in soil

No data available



Issue 2 Date of Issue: 16 February 2022 Page 8 of 10

# 12.5 Results of PBT and vPvB assessment

No data available

# 12.6 Other adverse effects

No adverse effects on the environment have been reported. The product can be physically removed from waterways by means appropriate to the size of the article. It is recommended that in case of larger spills local environmental agencies are notified – see also Section 13.

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Recycle where possible.

Refer to state/territory environmental protection agency/ authority. Normally suitable for disposal as general waste land fill.

#### **Contaminated packaging:**

Packaging that has not/cannot be cleaned is to be disposed of in the same manner as the product.

# **14. TRANSPORT INFORMATION**

<b>14.1 UN</b> ADR/RID	Not classified as dangerous goods.	
14.2 UN proper shipping name	Not classified as dangerous goods.	
14.3 Transport hazard class(es)	Not classified as dangerous goods.	
14.4 Packing Group	Not classified as dangerous goods.	
14.5 Environmental hazards	Not classified as dangerous goods.	
14.6 special precautions for user	Not classified as dangerous goods.	
Transport/Additional information Not classified as dangerous goods.		
Hazchem Code:	None allocated as material is not classified as dangerous goods.	



Issue 2 Date of Issue: 16 February 2022 Page 9 of 10

# **15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulation(s) specific for the substance or mixture** There is no safety, health or environmental regulation specific to these products.

Other regulations, limitations and prohibitive regulations: None.

#### **16. OTHER INFORMATION**

#### **Classification system**

Classification is according to GHS guidelines, ECHA chemicals' classifications and other literature and company data.

#### Literature references and sources for data

The following sources were used for the compilation of data for this material safety data sheet and were the current versions at the time of writing:

1. 'WORKPLACE EXPOSURE STANDARDS FOR AIRBORNE CONTAMINANTS, SAFE WORK AUSTRALIA'

2. ' PREPARATION OF SAFETY DATA SHEETS FOR HAZARDOUS CHEMICALS –CODE OF PRACTICE, SAFE WORK AUSTRALIA'

- 3. 'AUSTRALIAN DANGEROUS GOODS CODE'
- 4. UN globally harmonized system for hazardous chemicals
- 5. Classifications according to ECHA publication http://echa.europa.eu.

#### Changes from previous versions of this SDS

Not applicable, 1<sup>st</sup> issue according to GHS.

#### **Further information**

The above information is believed to be correct at the time of writing but does not purport to be all inclusive and shall be used only as a guide. This SDS summarises our best knowledge of the health and safety hazard information of the product and how to handle and use the product safely in the workplace at the date of issue. The user must review this SDS and determine how to use it in his workplace as the conditions of use are beyond the control of Vinidex. If further information or clarification is needed to ensure that an appropriate assessment is made, then the user should contact this company. Our responsibility for the product as sold is subject to our standard terms and conditions.

Department Issuing SDS:	Vinidex Product Development. Reviewed by Engineering & Technical
Services	
Contact:	Technical Services