



# PVC DWV Non Pressure Systems

Drain Waste and Vent  
Non-Pressure Pipe and Fittings

**INCLUDING:**

- Non-pressure sewer, drain, waste and vent pipe systems
- Above ground plumbing and drainage in buildings
- Below ground sewerage and drainage in buildings and infrastructure

# Drain Waste & Vent (DWV) Systems

Vinidex prides itself on using only the best quality raw materials when manufacturing DWV pipe systems. The economic advantages of Vinidex DWV pipes and fittings, combined with their light weight, ease of installation and reliable performance, makes PVC-U the material of choice for DWV applications in Australia.

## Applications

Non-pressure sewer, drain, waste and vent pipe systems

Above ground plumbing and drainage in buildings

Below ground sewerage and drainage in buildings and infrastructure



## Features & Benefits

### Corrosion resistant

PVC is completely immune to corrosion in normal sewerage and ground-water environments.

### Handling and installation

The ease of handling, installation and transport provide overall project savings.

### Flexibility

The flexibility of PVC DWV pipes allow them to cope with soil movements, subsidence and expansive clays.

### Superior flow characteristics

The very smooth bore and chemical resistance characteristics of PVC ensure no scale or built up corrosion, thus producing a high flow capacity.

### Easily machined and cut

Vinidex PVC may be cut and machined with simple tools, ready for jointing, anywhere on the pipe barrel.

### Resistance to root penetration, infiltration and exfiltration

PVC material is non-porous. Our well-made solvent cement joints and rubber ring joints are designed with high interfacial pressure and have excellent resistance to root penetration.

## Product Properties

### Size Range

SCJ: DN 40 – DN 300

RRJ: DN 100 – DN 300

### Material Classification

PVC-U

## Material Properties

### Temperature

Maximum continuous operating temperature is 60°C.

For more information, please read our Technical Note on Temperature limitations for PVC-U DWV pipe.

### Location

Suitable for indoor, outdoor and below ground use.

### Chemical

Please refer to Vinidex Chemical Resistant Guide on the Vinidex website.

## Certifications and Approvals

Vinidex offers Best Environmental Practice (BEP) and Environmental Product Declaration (EPD) for Vinidex DWV PVC ranges on the Vinidex website.

### Green Star

Vinidex DWV pipes and fittings are manufactured from BEP PVC and have an EPD registered with the Australasian EPD Programme. This allows constructors to claim credit points under the Green Building Council of Australia's (GBCA) Green Star ratings tools and the Infrastructure Sustainability Council of Australia's (ISCA) Infrastructure Sustainability rating scheme.

### Safety Data Sheets (SDS)

Can be found on the Vinidex website.

### Standards for DWV Pipes and Fittings

Vinidex DWV pipes and fittings are manufactured and tested in accordance with AS/NZS 1260 – PVC-U pipes and fittings for drain, waste and vent applications.

### Standards for rubber rings and solvent cement

Rubber rings for jointing DWV pipes are manufactured in accordance with AS 1646 – Elastomeric seals for waterworks purposes. Assembled rubber ring joints are also subjected to a range of tests to verify the joint design and long-term performance.

Priming fluid and solvent cements supplied by Vinidex comply with AS/NZS 3879 – Solvent cements and priming fluids for PVC (PVC-U and PVC-M) and ABS and ASA pipes and fittings.

### Contact with drinking water

Vinidex DWV PVC-U pipes comply with the requirements of AS/NZS 4020 – Testing of products for use in contact with drinking water. This Standard specifies a series of type tests, which are carried out in order to demonstrate that the product does not have a detrimental effect on the quality of drinking water. It assesses the effect of the pipe on the taste, odour and appearance of water as well as the health aspects due to growth of microorganisms and leaching of toxic substances.

### WSAA Appraisal

Vinidex DWV WSAA Product Appraisal Report 1625 can be downloaded from the Vinidex website.

### StandardsMark & WaterMark Certificates

These certifications can also be found on the Vinidex website.


## Installation

### Standards

Vinidex recommends that installation is in accordance with AS/NZS 3500.2 – Plumbing and Drainage and AS/NZS 2032 – Installation of PVC pipes systems.

For more on installation and Vinidex's recommendations, please visit the Vinidex website.

## DWV Plain Pipe



Vinidex Code	Nominal Diameter DN	Length L (m)	Length L1 (mm)	Min. Quantity	Crate Quantity
20230	40	6	27	1	147
20260	50	6	30	1	117
20266	50	5		1	
20280	65	6	38	1	160
20310	80	6	44	1	122

## DWV Solvent Cement Joint Pipe



Vinidex Code	Nominal Diameter DN	Stiffness Class	Length L (m)	Length L1 (mm)	Min. Quantity	Crate Quantity
18000	100	SN6	6	55	1	67
18005	100	SN10	6	55	1	67
19070	150	SN4	6	80	1	26
18120	150	SN8	3	80	1	28
18110	150	SN8	6	80	1	26
19140	225	SN4	6	125	1	12
19141	225	SN16	3		1	12
19180	225	SN8	6	125	1	12
19200	225	SN8	3	125	1	12
19210	300	SN4	6	175	1	6
19250	300	SN8	6	175	1	6
19258	300	SN8	3	175	1	6
19255	300	SN8	6	175	1	6

## DWV Solvent Cement Joint Slotted Pipe




Vinidex Code	Nominal Diameter DN	Stiffness Class	Length L (m)	Length L1 (mm)	Crate Quantity
20700	100	SN4	6	55	70
20718*	100	SN8	6		
20728	150	SN4	6		
20280	65	6	38	1	160
20310	80	6	44	1	122

\*RRJ


Note: SN = Stiffness, a measure of ability of the pipe to withstand lateral deflection.  
 SN4 = 4000 N/m/m  
 SN6 = 6000 N/m/m  
 SN8 = 8000 N/m/m  
 SN10 = 10000 N/m/m

## DWV (Sewer) Rubber Ring Joint Pipe



Vinidex Code	Nominal Diameter DN	Stiffness Class	Length L (mm)	Min. Quantity	Crate Quantity
19530	100	SN10	6	1	70
19531	100	SN10	6	1	
19610	150	SN8	3	1	28
19600	150	SN8	3	1	28
19601	150	SN8	3	1	
19680	225	SN8	3	1	12
19681	225	SN8	3	1	12
19730	300	SN8	3	1	6
19780	375	SN8	3	1	6
19782	375	SN16	4	1	


### 5° Bends F-F



Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. Quantity	Crate Quantity
46000	100	50	59.5	1	40
47582*	150			1	


\*RRJ

### 5° Bends M-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. Quantity	Carton Quantity
46120	100	50	59	1	27
50162	150			1	

### 10° Bends M-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. Quantity	Carton Quantity
50164	150				

### 15° Bends F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
54020	40	32	27	5	60
54050	50	35	30	10	120
54080	65	44	38	5	75
46010	100	75	50	1	40
47000	150	87	76	6	12

### 15° Bends M-F



Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
46130	100	50	62	1	25
47050	150	76	89	1	12
50165	150			1	

## 22.5° Bend F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
48009	300	225			

## 30° Bend M-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
46140	100	50	76	1	20

## 30° Bend F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
46020	100	50	76.4	1	34
47005	150			1	

## 43° Bends M-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
54495	40	27	37.2	10	60
54505	50	30	48.3	10	100
54515	50 x 40			10	40
54530	65	38	59	10	70
46150	100	50	78	1	28
47060	150	76	126	1	5
50171	150			1	

## 45° Bends F-F



Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
54030	40	27	44.1	20	100
54060	50	30	55	1	65
54090	65	38	65	10	50
54120	80	44	64.4	5	25
46040	100	50	72	1	28
47010	150	76	136.2	1	8
47410	225	110	200	1	5
47610	225	125	239	1	
48010	300	175	358	1	
48065	300-100			1	
48011	300	175	295	1	
48470	375	200	416	1	

## 60° Bends F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
46070	100	50	93	5	20

## 60° Bends M-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
46160	100	50	95	5	20

## 85° Bends F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
54040	32	27	54.5	20	140

## 88° Bends F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
54100	65	38	81.4	10	50
54140	80	44	98.1	10	40
46080	100	50	117	1	20
47030	150	76	199	1	6

## 88° Bends M-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
54500	40	27	57.5		200
54520	50	30	67.9	10	40
54542	80	44	98	6	12
46170	100	50	140	1	20
47090	150	81	202.2	1	6

## 90° Bends F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
47420	225	110	295	1	3
47620	225	110	426	1	
51020	225			1	
48012	300			1	
48020	300	175	596	1	
48480	375	200	638	1	

### 45° I.O. Bends F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
54310	50	30	53	5	85
54340	65	38	65	5	50

### 88° I.O. Bends F-F




Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
54350	65	38	81.4	10	60
54410	100	50	140	5	15

### 45° Side Access Bends F-F



Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
46050	100	50	116.9	1	12

### 88° Side Access Bends F-F



Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
46090	100	50	116.9	5	10

### 88° Rear Access Bends F-F



Vinidex Code	Nominal Size (mm)	Length L (mm)	Length A (mm)	Min. (Bag) Quantity	Carton Quantity
46100	100	50	140	1	24

### Kompakt® Boss Gully




Vinidex Code	Description	Pack Qty
58401	100 x 65 x 40 x 50 Vinidex Kompakt Boss Gully	15

## In Pipe Elbow



Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. Order Quantity	Carton Quantity
46115	100	50	102	1	26
54150	40	27	55	20	200
54160	50	30	65	10	40


## 45° Junctions F-F



Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
54630	40	27	81	127	1	100
54650	50	30	102	150	10	40
54670	65	38	125	184	5	25
54690	80	46	152	220	1	24
46200	100	50	187	260	1	13
54760	100 x 50	50	147	228.5	5	15
46220	100 x 65	50	166.5	228	1	15
47120	150	76	273	412	1	4
47110	150 x 100	76	225.5	328	1	5
50131*	150 x 100	76				
47450	225	115	449	586	1	2
47680	225	125	752	710	1	
47440	225 x 100	115	286	480	1	4
47445	225 x 150	115	355	480	1	3
47670	225 x 150	125	392	620	1	
48090	300	175	670	1030	1	
48095	300	150			1	
48060	300 x 100	175	398	670	1	
48095	300	175			1	
48070	300 x 150	175	468	770	1	
48080	300 x 225	175	600	930	1	
48520	375 x 100	200	470	775	1	
48530	375 x 150	200	521	845	1	
48550	375 x 300	200	731	1060	1	

\*SN8

## 45° Junctions M-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
46250	100	50	187	260	1	13
47150	150 x 100	76	225.5	328	1	5

## 85° Junctions F-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
54660	50	206	44	133	10	40
54700	80				1	32

## 88° Junctions F-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
54640	40	27	60.4	109	10	50
54680	65	38	115	172.5	5	25
46300	100	50	133	235	1	14
47205	150	76	201.5	355	1	4
47190	150x100	76	173.3	300	1	5

## 88° Junctions M-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
46320	100	235	50	133	1	14
47206	150				1	

## 88° Junctions M-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
54850	50	30	102	150	1	90

## 85° I.O. Junctions F-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
54860	50	30	80.5	140	10	40
54880	65	38	115	172.5	1	50

## 45° Side Access Junctions F-F




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
46230	100	50	277	1	8
46240	100	50		1	8

## 88° Rear Access Junctions F-F



Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
46310	100	50	145.3	242	1	10

## 88° Riser Junctions F-F




Vinidex Code	Nominal Size (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
55710	80 x 50 x 40 x 40 x 40		165.5	5	15
55720	80 x 50 x 50 x 40 x 40	84	163	5	15
46560	100 x 50	86.6	175	5	15
46570	100 x 50 x 50 x 50 x 40	97.3	210	1	10
46575	100 x 50 x 50 x 40 x 40		182	1	10

## In Pipe Plug




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. Order Quantity	Carton Quantity
56050	50	25	52		180
56060	100	25	104		70

## Straight Couplings F-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	Min. (Bag) Quantity	Carton Quantity
55260	40	27	56.5	10	120
55270	50	30	65.5	10	120
55280	65	38	82	5	35
55290	80	44	95	4	40

## Access Couplings



Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
46380	100	50	103	1	40
47240	150	76	158	1	12
60308	225			1	1

## Expansion Coupling Assembly




Vinidex Code	Nominal Size (mm)	L (mm)	Min. (Bag) Quantity	Carton Quantity
55750	50	30	5	35
55760	65	38	5	40
55780	100	50	3	15
55782	100	50	3	30

## Repair Couplings




Vinidex Code	Nominal Size (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
58235	40	61		250
58236	50	67		200
58240	100	176	4	48
58250	100	127	1	30
58260	150	185	1	12

## Threaded Access Caps



Vinidex Code	Nominal Size (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
46430	100	132.3	34	10	40
46435	100			1	1
47270	150	181.9	34.5	1	40
60309	225			1	1

## Push on Caps



Vinidex Code	Nominal Size (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
56000	40	47.4	27.3	20	160
56010	50	60.6	27.4	20	100
56020	65	74.1	21.4	5	70
56030	80	88.3	24.9	10	50
46650	100	116.2	28	1	26
46651	100	116.2	28	1	26
47380	150	168.1	31.6	1	40
47381	150				
47990	225	255.4	150	1	14
48450	300		200	1	3
48990	375			1	

## Dust Caps



Vinidex Code	Nominal Size (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
58220	100	25	113	1	140
58228	100	25	113	20	120

## Plain Floor Waste Gullies




Vinidex Code	Nominal Size (mm)	Min. (Bag) Quantity	Carton Quantity
55460	80 x 50	5	20
55470	80 x 65	5	20
55485	100 x 50	10	20
55486	100 x 65	10	20

## Disconnecter Trap



Vinidex Code	Nominal Size (mm)	Min. (Bag) Quantity	Carton Quantity
46520	100	1	10
47325	150	1	10

## Level Invert Tapers M-F




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
55530	50 x 40	27	80	20	140
55540	65 x 40	27	100	10	50
55550	65 x 50	30	90	20	80
55570	80 x 50	30	108	6	54
55580	80 x 65	38	103.5	1	65
55590	100 x 50	30	150	1	75
55600	100 x 65	38	145	5	65
55610	100 x 80	44	140	4	40
47340	150 x 100	50	233	1	12
47900	225 x 100	55	470	1	
53000	225 x 150			1	
47910	225 x 150	80	470	1	
52999	300 x 150			1	
48340	300 x 150	80	553	1	
48341	300 x 150			1	
48350	300 x 225	125	511	1	
52998	300 x 225			1	

## Pipe Reducers M-F




Vinidex Code	Nominal Size (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56115	50 x 40	27	50.6		150
56120	100 x 40	27	104	10	50
56130	100 x 50	30	104	10	50

## Socket Reducers M-F




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56170	50 x 40	61.4	34.5	10	80
56180	65 x 40	69.1	38	10	100
56190	65 x 50	74.8	42	5	35
56200	80 x 50	89	45.7	5	40
56230	100 x 50	110.2	52.5	10	50
56240	100 x 65	110.2	50	1	81
56250	100 x 80	110.2	52.7	5	60

## Bolted Trap Screws




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56110	150	76	168	1	10
56110	150	76	168	1	10

## Grates




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
46685	100	76		1	72
54788	100	76		1	50
54789	100	76		1	50
54790	100	76		1	50
56270	100	76	140.4	10	100
56275	100	76	140	1	20
56280	100	76	148.8	10	30

## Plain Vent Cowl




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56340	50	37	68.4	10	100
56350	65	38	70	5	80
56360	80	46.5	92.9	1	70
56370	100	50	97.3	6	18

## Insect Proof Vent Cowl



Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56400	50	37	68.4	10	40
56440	100	52.7	97.3	5	15
56400	50	37	68.4	10	40
56440	100	52.7	97.3	5	15

## Weathering Aprons



Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56470	50	43	16	67	1	90
56490	65	44	17.5	66.5	5	60
56510	100	74.5	21	101.2	5	25

## Pan Collars



Vinidex Code	Nominal Size (mm)	Type	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56900	100	Male to Female	50.5	40.7	91.2	1	25
56905	100	Adjustable Male to Female	50	55	105	1	25
56915	100	Adjustable Female to Female	50	49	99	1	45
56925	100x80	Adjustable Female to Female	44	80	124	5	25

## Finishing Collars




Vinidex Code	Nominal Size (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56290	100	142.8	10	6

## Caps and Linings



Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56950	40	31.3	33.2	64.5	10	250
56970	40			50	1	90

## Inspection Tees



Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
46440	100	51.5	167	1	16
46470	100	51.5	167	1	18
47280	150	77	287	1	4
47300	150	77	273	1	4
47528	100			1	

## Inspection Tees with Expansion




Vinidex Code	Nominal Size (mm)	Min. (Bag) Quantity	Carton Quantity
57150	100	1	7

## Floor Flanges



Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
57160	40	19	75	10	240	250
57170	50	19	102	10	280	90
57190	80	10	145	1	100	
57200	100	18.7	161	10	90	


## PVC Flap Valves



Vinidex Code	Nominal Size (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
57350	50	74	5	35
57364	100	175	1	21
57368	150	255	1	12
57369	225	480	1	
57367	300	520	1	
57371*	100		1	


\*Spigot

## 45° Sewer Bends F-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
50030	100				1	12
50320	150	107	155	155	1	1
51010	225	160	334	334	1	4
51660	300	187	377	377	1	1

## 45° Sewer Bends M-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
50080	100	97	175	78	1	
50360	150	107	153.5	169	1	
51040	225	160	334	337	1	

## 60° Sewer Bends M-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
50090	100	98	225	79	1	15

## 60° Sewer Bends M-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
50330	150				1	6

### 90° Sewer Bends F-F




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
50050	100	78	230	120	1	12

### 90° Sewer Bends M-F



Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
50370	150	107	257	257	1	6

### Slip Couplings



Vinidex Code	Nominal Size (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
50220	100		1	25
50520	150	246	1	15
51430	225	340	1	3
52150	300	373	1	1
52150*	300		1	1
52930	375		1	1


\*RRJ

### Access Couplings – RRJ Spigot




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
47250	150	76	215	1	18
47260	150			1	6

### Sewer Vertical Drop (QLD Only)




Vinidex Code	Nominal Size (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
47520	100	195	150	1	5
47590	150	241	150	1	
47850	225			1	
48360	300			1	

## Short Pipe Lengths – Sanded




Vinidex Code	Nominal Size (mm)	Type	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
50149	100				1	
50835	100	Socket	360	360	1	12
50831	100				1	20
50942	150	Socket			1	9
50941	150				1	9
50152	150				1	
50155	225				1	
51524	225	Socket	440	440	1	2
52244	300	Socket	440	440	1	
53024	375	Socket			1	

## Sewer Level Invert Taper – RRJ




Vinidex Code	Nominal Size (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
50210	150 x 100	388	122	1	9
52860	375 x 300			1	

## Sanded Manhole Couplings




Vinidex Code	Nominal Size (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
50945	150	365	225	1	9
51531	225			1	2
52250	300	530	225	1	

## Sanded Combined Manhole Couplings – SCJ to RRJ




Vinidex Code	Nominal Size (mm)	L1 (mm)	L2 (mm)	Min. (Bag) Quantity	Carton Quantity
50852	100	330	280	1	20
50947	150	320	230	1	9
51535	225	400	275	1	2
52251	300	520	250	1	
50819	300			1	

## Iron Connectors – Male




Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56550	40	27	31.8	58.7	10	60
56560	50	30	31.8	62	10	150

### Iron Connectors – Female




Vinidex Code	Nominal Size (mm)	L1 (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56650	40	27	27	52	5	60
56660	50	30	29.5	59.5	10	120

### Iron Adaptors – Male



Vinidex Code	Nominal Size (mm)	L1 (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56610	40	27	32	59	10	120
56620	50	30	32	62	10	80

### Iron Adaptors – Female




Vinidex Code	Nominal Size (mm)	L1 (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
56690	40	27	29	56	10	140
56700	50	30	29.5	60.5	10	80

### PVC to Copper Joiners




Vinidex Code	Nominal Size (mm)	L (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
57300	40	27	84.5	5	140
57310	50	30	78.3	5	50
57320	65	38	97	5	60
57340	100	50	125.8	3	24

### Vitrified Clay Spigot Adaptors



Vinidex Code	Nominal Size (mm)	L1 (mm)	L1 (mm)	A (mm)	Min. (Bag) Quantity	Carton Quantity
46630	100	50	61	169	10	20
47350	150	76	68	232	1	10
46631	300	100	61	171	1	

### Vitrified Clay Bushes



Vinidex Code	Nominal Size (mm)	L (mm)	L1 (mm)	Min. (Bag) Quantity	Carton Quantity
46640	100	54.5	139	10	20
47370	150	79.6	192	1	4
47470	225	179	276.5	1	4
48430	300			1	

## Leading the way, from the ground up.

For over six decades, we've been leading the way – setting the industry benchmark for pipeline systems and solutions. Our legacy spans across building, infrastructure, and agriculture sectors. We make life flow with groundbreaking, high-quality products, connecting everything from water, gas and energy throughout Australia.

Today, we maintain our commitment to innovative solutions that meet our customers' needs and exceed their expectations. Core to our approach are smarter solutions that are more sustainable throughout the manufacturing process and over their lifetime. Globally backed by Aliaxis, and a wide-reaching national footprint, our team of passionate technical experts support our customers throughout their projects – working to deliver solutions for today and the future.

**Vinidex. We make life flow.**

**Vinidex Pty Limited**  
ABN 42 000 664 942

### HEAD OFFICE

Level 4, 26 College Street  
Darlinghurst NSW 2010  
PO Box 747, Darlinghurst, NSW, 1300

### Customer Service

Phone: 13 11 69  
Fax: 13 24 43  
Email: [sales@vinidex.com.au](mailto:sales@vinidex.com.au)  
Web: [www.vinidex.com.au](http://www.vinidex.com.au)



SCAN TO  
FIND OUT  
MORE

#### Limitation of Liability

This product catalogue has been compiled by Vinidex Pty Limited ("the Company") to promote better understanding of the technical aspects of the Company's products to assist users in obtaining from them the best possible performance.

The product catalogue is supplied subject to acknowledgement of the following conditions:

1 The product catalogue is protected by copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. 2 Product specifications, usage data and advisory information may change from time to time with advances in research and field experience. The Company reserves the right to make such changes at any time without further notice. 3 Correct usage of the Company's products involves engineering judgements, which can not be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything and all of the consequences of anything done or omitted to be done by any such person in reliance whether whole or part of the contents of this publication. 4 No offer to trade, nor any conditions of trading, are expressed or implied by the issue of content of this product catalogue. Nothing herein shall override the Company's Condition of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. 5 This product catalogue is and shall remain the property of the Company, and shall be surrendered on demand to the Company. 6 Information supplied in this product catalogue does not override a job specification, where such conflict arises; consult the authority supervising the job. © Copyright Vinidex Pty Limited.