




Service Connections Product Range

**Please note that all products within this catalogue are subject to availability.
Contact Vinidex for stock availability.**

SERVICE CONNECTIONS

SERVICE CONNECTIONS	PAGE
FERRULE COCK - STANDARD: with Bonnet & Male Outlet	1
FERRULE COCK - STANDARD: with Bonnet & Poly Outlet	1
TPFNR FERRULE COCK: capped with Male Outlet	1
TPFNR FERRULE COCK: capped with Poly Outlet	1
TPFNR FERRULE COCK: with Bonnet and Male Outlet	2
TPFNR FERRULE COCK: with Bonnet and Poly Outlet	2
SELF INSERTING FERRULE COCK: with Bonnet and MI Outlet	2
SA WATER - WATER CONNECTION MAIN COCK	2
FERRULE BEND: MALE IRON OUTLET	3
FERRULES BEND: COPPER COMPRESSION OUTLET	3
FERRULE BEND: SOLDERED END OUTLET	3
COPPER ELBOW - 45 & 90 DEGREE: with nuts	3
RIGHT ANGLE BALL VALVE - LOCKABLE HANDLE	4
RIGHT ANGLE METER STOP COCKS - FEMALE	4
RIGHT ANGLE METER STOP COCKS - COPPER / FEMALE	4
WATER SERVICE ADAPTORS - INSULATION ADAPTOR	5
WATER SERVICE ADAPTORS - BRASS UNION/CONNECTOR	5
METER RISER INLET ASSEMBLY: with right angle ball valve	6

TYPICAL WATER SERVICE CONNECTION



- 1 TAPPING BAND
- 2 TPFNR FERRULE
- 3 BRASS PE FITTINGS
- 4 BRASS BENDS
- 5 RIGHT ANGLE BALL VALVE
- 6 METER CONNECTION FITTINGS
- 7 DUAL CHECK VALVE

SERVICE CONNECTIONS



FERRULE COCK - STANDARD: with Bonnet & Male Outlet

PRODUCT CODE	NOMINAL SIZE	INLET	INLET	TYPE	PRICE
81200	20	20MI	20MI	FERRULE	POA
81205	25	25MI	25MI	FERRULE	POA
81210	32	32MI	32MI	FERRULE	POA
81650	40	40MI	40MI	FERRULE	POA
78101	50	50MI	50MI	FERRULE	POA

FERRULE COCK - STANDARD: with Bonnet & Poly Outlet

PRODUCT CODE	NOMINAL SIZE	INLET	PE OUTLET	TYPE	PRICE
81209	20	20MI	25PE	FERRULE	POA
81203	25	25MI	32PE	FERRULE	POA
	32	32MI	40PE	FERRULE	POA
	40	40MI	50PE	FERRULE	POA
	50	50MI	63PE	FERRULE	POA

TPFNR FERRULE COCK: capped with Male Outlet

PRODUCT CODE	NOMINAL SIZE	INLET	INLET	TYPE	PRICE
81201	20	20MI	20MI	FERRULE - CAPPED	POA
81204	25	25MI	25MI	FERRULE - CAPPED	POA
78846	32	32MI	32MI	FERRULE - CAPPED	POA
	40	40MI	40MI	FERRULE - CAPPED	POA
	50	50MI	50MI	FERRULE - CAPPED	POA

TPFNR FERRULE COCK: capped with Poly Outlet

PRODUCT CODE	NOMINAL SIZE	OUTLET	OUTLET	TYPE	PRICE
	20	MI	25PE	FERRULE - CAPPED	POA
	25	MI	32PE	FERRULE - CAPPED	POA
	32	MI	40PE	FERRULE - CAPPED	POA
	40	MI	50PE	FERRULE - CAPPED	POA
	50	MI	63PE	FERRULE - CAPPED	POA

SERVICE CONNECTIONS



TPFNR FERRULE COCK: with Bonnet and Male Outlet

PRODUCT CODE	NOMINAL SIZE	INLET	INLET	TYPE	PRICE
81653	20	20MI	20MI	FERRULE - BONNET	POA
81654	25	25MI	25MI	FERRULE - BONNET	POA
81655	32	32MI	32MI	FERRULE - BONNET	POA
81207	40	40MI	40MI	FERRULE - BONNET	POA
81208	50	50MI	50MI	FERRULE - BONNET	POA

TPFNR FERRULE COCK: with Bonnet and Poly Outlet

PRODUCT CODE	NOMINAL SIZE	INLET	OUTLET	TYPE	PRICE
81265	20	20MI	25PE	FERRULE - BONNET	POA
81266	25	25MI	32PE	FERRULE - BONNET	POA
81267	32	32MI	40PE	FERRULE - BONNET	POA
81268	40	40MI	50PE	FERRULE - BONNET	POA
81269	50	50MI	63PE	FERRULE - BONNET	POA

SELF INSERTING FERRULE COCK: with Bonnet and MI Outlet

PRODUCT CODE	NOMINAL SIZE	INLET	OUTLET	TYPE	PRICE
Q4814	20	20MI	20MI	FERRULE - SELF INSERT	POA
	25	25MI	25MI	FERRULE - SELF INSERT	POA
	32	32MI	32MI	FERRULE - SELF INSERT	POA
	40	40MI	40MI	FERRULE - SELF INSERT	POA
	50	50MI	50MI	FERRULE - SELF INSERT	POA

SA WATER - WATER CONNECTION MAIN COCK

PRODUCT CODE	NOMINAL SIZE	INLET	OUTLET	TYPE	PRICE
	20	20MI	20MI		POA
	25	25MI	25MI		POA
	32	32MI	32MI		POA
	40	40MI	40MI		POA

SERVICE CONNECTIONS



FERRULE BEND: MALE IRON OUTLET

PRODUCT CODE	NOMINAL SIZE "A"	OUTLET	TYPE	PRICE
81225	20	20MI	FERRULE BEND	POA
81230	25	25MI	FERRULE BEND	POA
81238	32	32MI	FERRULE BEND	POA
81231	40	40MI	FERRULE BEND	POA
81232	50	50MI	FERRULE BEND	POA

FERRULES BEND: COPPER COMPRESSION OUTLET

PRODUCT CODE	NOMINAL SIZE "A"	OUTLET	TYPE	PRICE
78847	20	20CU	FERRULE BEND	POA
78848	25	25CU	FERRULE BEND	POA
78849	32	32CU	FERRULE BEND	POA
78850	40	40CU	FERRULE BEND	POA
78851	50	50CU	FERRULE BEND	POA

FERRULE BEND: SOLDERED END OUTLET

PRODUCT CODE	NOMINAL SIZE "A"	OUTLET	TYPE	PRICE
	20	20SOL	FERRULE BEND	POA
	25	25SOL	FERRULE BEND	POA
	32	32SOL	FERRULE BEND	POA
	40	40SOL	FERRULE BEND	POA
	50	50SOL	FERRULE BEND	POA

COPPER ELBOW - 45 & 90 DEGREE: with nuts

	NOMINAL SIZE	DEGREE	TYPE	PRICE
	25	45	ELBOW	POA
	32	45	ELBOW	POA
85300	40	45	ELBOW	POA
	50	45	ELBOW	POA
	25	90	ELBOW	POA
	32	90	ELBOW	POA
	40	90	ELBOW	POA
	50	90	ELBOW	POA

SERVICE CONNECTIONS



RIGHT ANGLE BALL VALVE - LOCKABLE HANDLE

NOMINAL SIZE	INLET	OUTLET	HANDLE COLOUR	TYPE	PRICE
20 X 20	FI	FI	BRASS	BRASS BALL VALVE R/A	POA
25 X 25	FI	FI	BRASS	BRASS BALL VALVE R/A	POA

20 X 20	FI	FI	PURPLE	BRASS BALL VALVE R/A	POA
25 X 25	FI	FI	PURPLE	BRASS BALL VALVE R/A	POA

20 X 20	CU COMP	FI	BRASS	BRASS BALL VALVE R/A	POA
25 X 25	CU COMP	FI	BRASS	BRASS BALL VALVE R/A	POA

20 X 20	CU COMP	FI	PURPLE	BRASS BALL VALVE R/A	POA
25 X 25	CU COMP	FI	PURPLE	BRASS BALL VALVE R/A	POA

RIGHT ANGLE METER STOP COCKS - FEMALE

PRODUCT CODE	NOMINAL SIZE	INLET	OUTLET	TYPE	PRICE
	20	FI	FI	RIGHT ANGLE COCK	POA
	25	FI	FI	RIGHT ANGLE COCK	POA
	40	FI	FI	RIGHT ANGLE COCK	POA
	50	FI	FI	RIGHT ANGLE COCK	POA

RIGHT ANGLE METER STOP COCKS - COPPER / FEMALE

PRODUCT CODE	NOMINAL SIZE	INLET	OUTLET	TYPE	PRICE
	20	CU	FI	RIGHT ANGLE COCK	POA
	25	CU	FI	RIGHT ANGLE COCK	POA
N6014	40	CU	FI	RIGHT ANGLE COCK	POA

RIGHT ANGLE METER STOP COCKS - CAPILLARY COPPER INLET X FEMALE OUTLET

SERVICE CONNECTIONS



WATER SERVICE ADAPTORS - INSULATION ADAPTOR

PRODUCT CODE	NOMINAL SIZE	MATERIAL	TYPE	PRICE
81472	20	MI-FI	BRASS INSULATION BUSH	POA
	25	MI-FI	BRASS INSULATION BUSH	POA

WATER SERVICE ADAPTORS - BRASS UNION/CONNECTOR

PRODUCT CODE	NOMINAL SIZE	END 1	END 2	TYPE	PRICE
	20	CU CAP	MI	UNION / CONNECTOR	POA
	25	CU CAP	MI	UNION / CONNECTOR	POA
	20	CU CAP	MI	UNION / CONNECTOR	POA
	25	CU CAP	MI	UNION / CONNECTOR	POA
	20	CU COMP	MI	UNION / CONNECTOR	POA
	25	CU COMP	MI	UNION / CONNECTOR	POA
	20	CU COMP	FI	UNION / CONNECTOR	POA
	25	CU COMP	FI	UNION / CONNECTOR	POA
85181	20	20MI	25PE	UNION / CONNECTOR	POA
	20	20MI	32PE	UNION / CONNECTOR	POA
	25	25MI	32PE	UNION / CONNECTOR	POA
85180	32	32MI	40PE	UNION / CONNECTOR	POA

SERVICE CONNECTIONS



METER RISER INLET ASSEMBLY: with right angle ball valve

	NOMINAL SIZE	RISER LENGTH	INLET - OUTLET	HANDLE	TYPE	PRICE
N6017	20	300	20FI-20FI	LOCKABLE	RISER INLET ASSEMBLY	POA
	20	300	20FI-20FI	LOCKABLE	RISER INLET ASSEMBLY	POA
	20	530	20FI-20FI	LOCKABLE	RISER INLET ASSEMBLY	POA
	20	530	20FI-20FI	LOCKABLE	RISER INLET ASSEMBLY	POA
	25	530	25FI-32PE	"T"	RISER INLET ASSEMBLY	POA
	25	530	25FI-32PE	"T"	RISER INLET ASSEMBLY	POA
	40	530	40FI-50PE	"T"	RISER INLET ASSEMBLY	POA
	40	530	40FI-50PE	"T"	RISER INLET ASSEMBLY	POA
	50	530	50FI-63PE	"T"	RISER INLET ASSEMBLY	POA
	50	530	50FI-63PE	"T"	RISER INLET ASSEMBLY	POA

BRASS METER CONNECTION KIT

	NOMINAL SIZE	SUITS METER	PART NUMBER	TYPE	PRICE
	20	V100	MB4102	METER CONNECTION KIT	POA
	25	V100	MC4102	METER CONNECTION KIT	POA

BRASS CONNECTION KIT TO SUIT V100M. EACH METER REQUIRES 1 CONNECTION KIT.
CONNECTION KIT COMPRISES OF 2 x NUTS, 2 x TAILS, 2 x WASHERS,



Vinidex Pty Limited
ABN 42 000 664 942

HEAD OFFICE
Level 4, 26 College Street
Darlinghurst NSW 2010
PO Box 747, Darlinghurst NSW 1300

Reception: +61 2 8278 0500

CUSTOMER SERVICE

Phone: 13 11 69

Fax: 13 24 43

Email: sales@vinidex.com.au

Web: www.vinidex.com.au

Limitation of Liability

This product catalogue has been compiled by Vinidex Pty Limited ("the Company") to promote better understanding of the technical aspects of the Company's products to assist users in obtaining from them the best possible performance. The product catalogue is supplied subject to acknowledgement of the following conditions:

1 The product catalogue is protected by copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. 2 Product specifications, usage data and advisory information may change from time to time with advances in research and field experience. The Company reserves the right to make such changes at any time without further notice. 3 Correct usage of the Company's products involves engineering judgements, which can not be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything and all of the consequences of anything done or omitted to be done by any such person in reliance whether whole or part of the contents of this publication. 4 No offer to trade, nor any conditions of trading, are expressed or implied by the issue of content of this product catalogue. Nothing herein shall override the Company's Condition of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. 5 This product catalogue is and shall remain the property of the Company, and shall be surrendered on demand to the Company. 6 Information supplied in this product catalogue does not override a job specification, where such conflict arises; consult the authority supervising the job. © Copyright Vinidex Pty Limited.

VIN035.2-
20190211