
Repair Clamps Product Range

**Please note that all products within this catalogue are subject to availability.
Contact Vinidex for stock availability.**

REPAIR CLAMPS



REPAIR CLAMPS - STAINLESS STEEL

| PRODUCT CODE | NOMINAL SIZE | LENGTH | No. OF SEGMENTS | TYPE | PRICE |
|--------------|--------------|--------|-----------------|-----------------|-------|
| | 80 | 200 | 1 | REPAIR CLAMP SS | POA |
| 59904 | 100 | 200 | 1 | REPAIR CLAMP SS | POA |
| Q5464 | 150 | 200 | 1 | REPAIR CLAMP SS | POA |
| 59910 | 200 | 200 | 1 | REPAIR CLAMP SS | POA |
| Q5609 | 225 | 300 | 1 | REPAIR CLAMP SS | POA |
| 81897 | 250 | 300 | 1 | REPAIR CLAMP SS | POA |
| | 300 | 300 | 1 | REPAIR CLAMP SS | POA |
| | 375 | 400 | 2 | REPAIR CLAMP SS | POA |
| | 450 | 400 | 2 | REPAIR CLAMP SS | POA |
| | 500 | 400 | 3 | REPAIR CLAMP SS | POA |
| | 600 | 400 | 3 | REPAIR CLAMP SS | POA |

Stainless steel repair clamp provide a quick repair solution for leaking, cracked or damaged pipes. Manufactured to AS4181 in SS316 with nitrile rubber gasket. To suit Series 2 pipe outside diameters, other sizes available on request. Suitable for use on AS2280 DICL , PVC-M & PVC-O pressure pipes. MAOP 1600kPa.

REPAIR CLAMPS - TAPPED OFF-TAKES



REPAIR CLAMPS c/w TAPPED OFF-TAKE - SS

| PRODUCT CODE | NOMINAL SIZE | NO. OF SEGMENTS | | TYPE | PRICE |
|--------------|--------------|-----------------|-----|---------------------------------|-------|
| | 80 x 20 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 80 x 25 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 80 x 32 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| Q2672 | 100 x 20 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| 65542 | 100 x 25 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| 65519 | 100 x 32 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| N6019 | 100 x 50 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| 65541 | 150 x 20 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 150 x 25 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 150 x 32 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 150 x 50 | 1 | 200 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 200 x 20 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 200 x 25 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 200 x 32 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| 65518 | 200 x 50 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 225 x 20 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 225 x 25 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 225 x 32 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 225 x 50 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| 65539 | 250 x 20 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 250 x 25 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 250 x 32 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 250 x 50 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 300 x 20 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 300 x 25 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 300 x 32 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 300 x 50 | 1 | 300 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 375 x 20 | 2 | 400 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 375 x 25 | 2 | 400 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 375 x 32 | 2 | 400 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 375 x 50 | 2 | 400 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 450 x 20 | 2 | 400 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 450 x 25 | 2 | 400 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 450 x 32 | 2 | 400 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |
| | 450 x 50 | 2 | 400 | REPAIR CLAMP SS C/W BSP OFFTAKE | POA |

Stainless steel repair clamp with tapped off-take are suitable for tapping into unstable / damaged pipes and to repair pipes with pulled or damaged service connections. Manufactured to AS4181 in SS316 with nitrile rubber gasket. To suit series 2 diel pipe outside diameters with other sizes available on request. MAOP 1600kPa

REPAIR CLAMPS - FLANGED OFF-TAKES



REPAIR CLAMPS - FLANGED OFFTAKES - SS

| PRODUCT CODE | DN - FL | No. OF | | TYPE | PRICE |
|--------------|-----------|----------|-----|--------------------------------|-------|
| | | SEGMENTS | | | |
| Q6248 | 100 x 80 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| Q6249 | 100 x 100 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| Q7621 | 150 x 80 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 150 x 100 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| Q7622 | 150 x 150 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 200 x 80 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| 81860 | 200 x 100 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 200 x 150 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| Q6210 | 225 x 80 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 225 x 100 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 225 x 150 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 250 x 80 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 250 x 100 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 250 x 150 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 300 x 80 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 300 x 100 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 300 x 150 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 375 x 80 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 375 x 100 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 375 x 150 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 450 x 80 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 450 x 100 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 450 x 150 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |
| | 450 x 200 | 2 | 400 | REPAIR CLAMP SS C/W FL OFFTAKE | POA |

Stainless steel clamps with integral flange branch are capable of providing a flanged 90° offtake connection on new or existing pipeline. They are suitable for tapping pipelines under pressure, or for hydrant and air valve installations on existing pipelines. Manufactured in accordance with AS4181 in SS316 with nitrile rubber gasket. To suit series 2 DI/CL pipe outside diameters with other sizes and flange classes and drilling patterns available on request. MAOP 1600kPa



Vinidex Pty Limited
ABN 42 000 664 942

HEAD OFFICE
Level 4, 26 College Street
Darlinghurst NSW 2010
PO Box 747, Darlinghurst NSW 1300

Reception: +61 2 8278 0500

CUSTOMER SERVICE

Phone: 13 11 69

Fax: 13 24 43

Email: sales@vinidex.com.au

Web: www.vinidex.com.au

Limitation of Liability

This product catalogue has been compiled by Vinidex Pty Limited ("the Company") to promote better understanding of the technical aspects of the Company's products to assist users in obtaining from them the best possible performance. The product catalogue is supplied subject to acknowledgement of the following conditions:

1 The product catalogue is protected by copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. 2 Product specifications, usage data and advisory information may change from time to time with advances in research and field experience. The Company reserves the right to make such changes at any time without further notice. 3 Correct usage of the Company's products involves engineering judgements, which can not be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything and all of the consequences of anything done or omitted to be done by any such person in reliance whether whole or part of the contents of this publication. 4 No offer to trade, nor any conditions of trading, are expressed or implied by the issue of content of this product catalogue. Nothing herein shall override the Company's Condition of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. 5 This product catalogue is and shall remain the property of the Company, and shall be surrendered on demand to the Company. 6 Information supplied in this product catalogue does not override a job specification, where such conflict arises; consult the authority supervising the job. © Copyright Vinidex Pty Limited.

VIN036-
20190211