# Vinidex
by aliaxis

PVC Floor Waste Gully

Vinidex Compakt Boss Gully

At just 199mm tall Vinidex Compakt is the shortest PVC boss gully around, making it ideal for all DWV systems. Up to 20% shorter than the standard floor waste gully and four-way riser combination, Vinidex Compakt makes it easy for you to get the right fit and fall within the shorter joist heights that are now common in residential and commercial builds.

20% shorter than standard uPVC option.

uPVC – seamless integration into Vinidex DWV System.

199mm high

Get the right fit and fall within shorter joist heights.

Top View

DN 50mm Inlet (Socket)

DN 40mm Inlet (Socket)

DN 40mm Inlet (Socket)

Removable overflow trap for easy access.

DN 65mm Outlet (Parallel Spigot)

Vinidex Compakt Boss Gully
PVC Solution

• Removable PVC overflow trap for clear and easy drain access

• Suits 100mm floor waste for easy accessibility

• 1 x 50mm socket and 2 x 40mm socket inlets, and a 65mm spigot outlet

• Solvent cement to PVC pipe work - Simply drill out inlets as required

• Manufactured and tested to AS/NZS 1260; Watermark License WMK 20224

Vinidex Code	Description	Pack Qty
58401	100 x 65 x 40 x 50 Vinidex Compakt Boss Gully	12

Vinidex Compakt Boss Gully,
for Illustration purposes only*

Vinidex Compakt is a squat four way riser and floor waste gully in one unit. It features a 100mm floor waste inlet with a 65mm outlet spigot. It has a 75mm water seal, 2 x 40mm and 1 x 50mm waste pipe inlet sockets. Vinidex Compakt is manufactured from PVC-U and features a PVC-U removable access plug with an O-ring seal for easy cleaning. It is WaterMark approved to AS/NZS 1260:2017, license number WMK 20224.

Vinidex Compakt is a great floor waste space saver when compared to the conventional 4 way riser and floor waste gully – it can save in excess of 50mm. This can allow the contractor to fit the plumbing services into restricted ceiling cavities, hence maximizing ceiling height in the room below.

The squat nature of the Vinidex Compakt floor waste gully can be maximized by pushing the 100mm socket into the floor above, further reducing the cavity space requirement to well under 200mm – a real advantage over conventional systems. The shallow nature of the product does not come at the expense of flow rate. The dimensions of the removable trap ensure the Vinidex Compakt floor waste gully delivers the perfect combination of performance, exceeding the minimum flowrate requirements of AS/NZS 1260, and space as the shortest PVC boss gully around.

CURRENT SOLUTION

280mm High

Plain Floor Waste Gullies

BETTER SOLUTION

199mm High

Vinidex Compakt Boss Gully

Contact your local Vinidex representative for more information.

13 11 69 | sales@vinidex.com.au | **vinidex.com.au**