

FWSG 400

Scraper tool for pipe d 75 - d 400 (3" - 14" IPS)

Cross-dimension scraper tool FWSG 400

- Safe removal of the oxide layer from HD-PE and PE-Xa pipes
- Scraper blade made of hard metal with 2 cutting edges (double life)
- Universal scraping areas from d 75 - d 400 (3" - 14" IPS)
- Uniform chip removal by spring-mounted scraper blade and automatic feed
- With quick adjustment for easy adjustment to the scraping length
- Delivery in transport box



Reference	Article description	Diameter Area	Weight kg	BX
613410	FWSG 400	d 75 - d 400	4,835	1

FWSG 400

Scraper tool for pipe d 75 - d 400 (3" - 14" IPS)

Application

FRIATOOLS scraper tools for the perfect preparation of HDPE pipe surfaces: Consistently uniform removal of oxide layers for the perfect electrofusion.

The crucial difference

Having the correct tools to perform installation on site makes all the difference. We see ourselves as specialists in the electrofusion of HDPE piping systems, so our development work has also included equipment and accessories for your needs from the very outset.

We know exactly what matters and what is needed in the field, and we can offer you a range of equipment tailored to the daily challenges encountered on the building site:

FRIATOOLS scraper tools for all pipe diameters and for a wide range of scrape lengths and saddle surfaces. These safeguard a uniform removal of material and reproducible quality for the optimal processing and reliable fusion of HDPE pipes.

Put your trust in tools that produce the perfect results.

Good reasons for the FRIATOOLS scraper tool FWSG 400:

- Reliable removal of oxide layers on PE 80, PE 100, and PE-X pipes
- NEW: With quick adjustment of the scraping length
- NEW: Replacement blade with 2 cutting edges for twice the service life
- With easy exchangeable clamping slide for the dimensions d 75 - d 225 (3" - 8" IPS) and d 250 - d 400 (10" - 14" IPS).
- Automatic compensation of pipe ovalities and tolerances due to spring mounted scraper blade
- Consistent swarf removal due to automatic feed
- Easy handling with little effort
- Maintenance-friendly due to use of wear-resistant materials
- The tool is delivered in a transport box